

# Streamline<sup>®</sup>

LINE SETS



 **MUELLER  
STREAMLINE CO.**

**C**  
COPPER

**H**  
HVAC/R



**FEATURES & ADVANTAGES:**

- Made and assembled in the USA
- Copper Tube UL Recognized to 700 PSI MWP
- 10-year limited warranty on copper tube
- A2L Compatible
- ASTM B1003

**OPTIONS:**

With a broad offering of liquid line and suction line diameters, insulation, thickness, custom ends and connections - plus a wide array of custom options, we're able to meet our customers' most specialized and exacting needs.

**Type:** Standard Line Set, Single Line, Mini Split

**Insulation:**


- Standard Elastomeric Rubber
- Duraguard UV™ Coated Elastomeric Rubber

**Size:** 1/4" - 1-1/8" O.D.

**Length:** 10' - 164'

**Thickness:** 3/8" - 1"

**Options:** Flare Fittings, Bends, Mini Split Cable



## STANDARD ELASTOMERIC RUBBER INSULATION



Since its patent for use as pipe insulation in 1954, closed cell elastomeric foam has become the staple insulation of the HVAC and refrigeration industries. Elastomeric rubber insulation is tough but flexible and offers a high level of moisture resistance and steady, long-term thermal performance. Its proven track record of safety and dependability make it the superior material for use as line set insulation.

- Flexible in all thicknesses
- Resists mold and mildew
- Offered with 3/8" wall (R2), 1/2" wall (R3), 3/4" wall (R5), 1" wall (R7)
- UV retardant added to minimize ultraviolet degradation
- Compliances: ASTM E-84 25/50, UL 723, ASTM C534, ASTM E96, UL 94


## DURAGUARD UV™ INSULATION (COATED ELASTOMERIC RUBBER)

Streamline® Line Sets & Suction Lines are now available with our unique Duraguard UV™ Tear and Solar Resistant Insulation. This high-quality elastomeric rubber insulation has a durable jacket and is designed to handle the toughest solar, weather, and physical conditions.

- Abrasion and weather resistant polymeric jacket, providing the best protection in the industry
- Same insulating properties of elastomeric foam
- Offered with 1/2" wall (R3), 3/4" wall (R5), and 1" wall (R7)
- 5-year limited manufacturer warranty on insulation including UV Resistance
- Compliances: ASTM E-84 25/50, UL 723, ASTM C534, ASTM E96, UL 94, ASTM G153, CA Title 24




# PART NUMBER CODING GUIDE



## EXAMPLE:

Part # 40820300B3B6C



*Streamline*<sup>®</sup>

**Streamline<sup>®</sup> Line Sets have been the industry leader for decades. We leverage our many years of experience and expertise producing copper tube in every line set we make.**

# *Streamline*<sup>®</sup> YOUR SYSTEM

---

Streamline<sup>®</sup> is the preferred and specified brand of industry professionals around the world. Manufactured to the highest quality standards and designed for years of trouble-free service, Streamline's suite of piping systems products provide the confidence that only comes when a solution is designed to work together.

- Nitrogenized<sup>®</sup> ACR Copper Tubing
- Dehydrated Refrigeration Coils
- Line Sets & Mini-Split Line Sets
- XHP Copper-Iron Tubing
- XHP Copper-Iron Braze Fittings
- System Protection Devices
- Copper Press Fittings
- Copper Solder/Braze Fittings
- Carbon Steel Press Fittings
- Refrigerant Brass Push Fittings
- Brass Flare Fittings
- Refrigeration Valves



**MUELLER STREAMLINE CO.**

150 Schilling Blvd, Suite 201, Collierville, TN 38017 | 1-800-FITTING | [www.muellerstreamline.com](http://www.muellerstreamline.com)

© 2024 Mueller Streamline Co.

MLT-320 June 2024