Streamline®

COPPER TUBE

UW CT0926

Effective September 21, 2026

(Supercedes UW CT0726)

The issuance of this price list is not an offer to sell the goods listed herein at the prices stated.

WATER TUBE / PRICE PER FOOT

Diameter		Type K			Type L			Type M	DWV	Nitrogenized®* ACR / MED	
NOM	O.D.	Hard Lengths	Soft Coils	Soft Lengths	Hard Lengths	Soft Coils	Soft Lengths	Hard Lengths	Hard Lengths	Type K	Type L
1/8"	1/4"	-	-	-	-	-	-	-	-	-	10.22
1/4"	3/8"	8.30	8.64	10.49	7.23	7.36	9.41	-	-	9.12	7.70
3/8"	1/2"	14.79	15.51	17.54	10.59	10.89	14.67	8.34	-	16.29	11.63
1/2"	5/8"	17.39	19.01	22.06	9.33	15.85	19.52	6.94	-	18.91	15.07
5/8"	3/4"	21.42	23.47	26.29	18.56	20.32	25.15	13.91	-	24.10	20.17
3/4"	7/8"	32.18	33.88	40.77	15.27	25.28	29.84	11.21	-	34.27	23.96
1"	1-1/8"	41.72	44.97	53.88	22.45	36.18	41.41	17.33	-	45.93	34.48
1-1/4"	1-3/8"	52.46	57.71	63.98	40.51	49.17	54.95	35.53	37.71	55.31	45.93
1-1/2"	1-5/8"	69.21	75.03	88.91	51.43	63.26	74.11	48.91	47.32	72.26	59.69
2"	2-1/8"	101.92	115.07	136.84	80.47	100.75	116.80	75.18	62.15	107.31	89.99
2-1/2"	2-5/8"	152.61	-	208.11	124.32	-	163.26	110.96	-	159.82	131.13
3"	3-1/8"	210.66	-	289.51	184.13	-	218.32	147.27	109.70	224.17	205.07
3-1/2"	3-5/8"	269.44	-	-	226.40	-	-	199.08	-	281.61	234.02
4"	4-1/8"	367.01	-	-	301.58	-	-	271.43	190.99	389.82	339.54
5"	5-1/8"	547.44	-	-	412.23	-	-	418.96	355.16	660.56	650.66
6"	6-1/8"	810.96	-	-	553.60	-	-	569.31	492.57	993.33	710.55
8"	8-1/8"	1,518.36	-	-	1,071.61	-	-	1,079.31	-	1,832.12	1,348.85

*(Nitrogenized thru 3-1/8" Only)

REFRIGERATION SERVICE TUBE / PRICE PER COIL

O.D. Sizes	1/8"	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	7/8"	1-1/8"	1-3/8"	1-5/8"
50 Foot Coil	180.64	211.17	240.49	326.16	340.03	483.75	647.56	772.57	1,146.68	1,717.77	2,938.35	3,730.25
100 Foot Coil	372.45	435.42	500.25	672.23	728.17	1,006.24	1,346.79	1,620.09	2,417.02	3,538.83	6,052.85	7,684.16

HARD

O.D.	Wall	Price/Ft
1/4	0.025	8.44

HARD

O.D.	Wall	Price/Ft
1/4	0.032	9.75

The issuance of this price list is not an offer to sell the goods listed herein at the prices stated.

© 2025 Mueller Streamline Co., All rights reserved.

REFERENCE INFORMATION

COPPER TUBE

STANDARD* LENGTHS		Type K **HARD** 20' Lengths **COILS** 60' thru 1-1/2 100' thru 1-1/4 40' and 60' - 2" only		Type L / ACR **HARD** 20' Lengths **COILS** 60' thru 1-1/2 100' thru 1-1/4 40' - 2" only		Type M **HARD** 20' Lengths **COILS** Consult		DWV **HARD** 20' Lengths	
NOM	**O.D.**	**WALL**	**WGT/FT**	**WALL**	**WGT/FT**	**WALL**	**WFT/FT**	**WALL**	**WGT/FT**
1/8"	1/4"	–	–	0.025	.068	–	–	–	–
1/4"	3/8"	0.035	0.145	0.030	0.126	0.025	0.106	–	–
3/8"	1/2"	0.049	0.269	0.035	0.198	0.025	0.145	–	–
1/2"	5/8"	0.049	0.344	0.040	0.285	0.028	0.204	–	–
5/8"	3/4"	0.049	0.418	0.042	0.362	0.030	0.263	–	–
3/4"	7/8"	0.065	0.641	0.045	0.455	0.032	0.328	–	–
1"	1-1/8"	0.065	0.839	0.050	0.655	0.035	0.465	–	–
1-1/4"	1-3/8"	0.065	1.04	0.055	0.884	0.042	0.682	0.040	0.650
1-1/2"	1-5/8"	0.072	1.36	0.060	1.14	0.049	0.940	0.042	0.809
2"	2-1/8"	0.083	2.06	0.070	1.75	0.058	1.46	0.042	1.07
2-1/2"	2-5/8"	0.095	2.93	0.080	2.48	0.065	2.03	–	–
3"	3-1/8"	0.109	4.00	0.090	3.33	0.072	2.68	0.045	1.69
3-1/2"	3-5/8"	0.120	5.12	0.100	4.29	0.083	3.58	–	–
4"	4-1/8"	0.134	6.51	0.110	5.38	0.095	4.66	0.058	2.87
5"	5/1-8"	0.160	9.67	0.125	7.61	0.109	6.66	0.072	4.43
6"	6-1/8"	0.192	13.90	0.140	10.20	0.122	8.92	0.083	6.10
8"	8-1/8"	0.271	25.90	0.200	19.30	0.170	16.46	–	–

* FOR SPECIAL LENGTHS OR TEMPERS CONSULT FOR PRICE AND AVAILABILITY.

REFRIGERATION SERVICE TUBE

O.D.	WALL THICKNESS	WEIGHT PER FOOT	WEIGHT PER COIL	COIL DIAMETER	COILS PER MASTER	WEIGHT PER MASTER
1/8"	0.030	0.0347	1.74	14-3/4"	10	17.4
3/16"	0.030	0.0575	2.88	14-3/4"	10	28.80
1/4"	0.030	0.0804	4.02	14-3/4"	10	40.20
5/16"	0.032	0.109	5.45	14-3/4"	10	54.50
3/8"	0.032	0.134	6.70	16-1/2"	10	67.00
1/2"	0.032	0.182	9.10	20"	5	45.50
5/8"	0.035	0.251	12.55	22"	5	62.75
3/4"	0.035	0.305	15.25	25"	3	45.75
7/8"	0.045	0.455	22.75	27-1/2"	3	22.75
1-1/8"	0.050	0.655	33.75	34-1/2"	–	32.75
1-3/8"	0.055	0.884	44.20	39-1/2"	–	44.20
1-5/8"	0.060	1.14	57.00	42"	–	57.00

* STANDARD 50' COIL – 100' COILS ALSO AVAILABLE AS STANDARD STOCK ITEM.

TEMPERATURE CONTROL TUBE

PACKED 2000' PER BOX

O.D.	Wall	WGT/FT
1/4	0.025	0.0685

O.D.	Wall	WGT/FT
1/4	0.032	0.0849

PLASTIC COATED COPPER TUBE

Polyethylene coating made from low density LDPE resin and is extruded at 0.025" minimum wall.

Distributed by Mueller Streamline Co. • 150 Schilling Blvd., Suite 201, Collierville, TN 38017 • 800-348-8464 • www.muellerstreamline.com

© 2025 Mueller Streamline Co., All rights reserved.

Distributed by Mueller Streamline Co. • 150 Schilling Blvd., Suite 201, Collierville, TN 38017 • 800-348-8464 • www.muellerstreamline.com
© 2025 Mueller Streamline Co., All rights reserved.